

## **DATA SHEET**

## KAIZER: 10W 900 lumen rechargeable head lamp, with zoom

















TECHNICAL DATA	
Power supply	RECHARGEABLE BATTERIES
Power supply provided	NO
Batteries provided	(INCLUDED)
Battery type	18650
Battery capacity (mAh)	2200
Stack technology	LITHIUM-ION
How many batteries are used	1
Charging time (h)	4
Battery/battery weight (kg)	0.048
Maximum autonomy (h)	5
Lighting source	HIGH POWER LED
Light technology	OSRAM® P9
Lighting power (W)	10
Lumen	900
Light beam	ZOOM
Beam angle (°)	Adjustable 25°/60° (zoom)
Scope (m)	120
LED lifespan (hours)	50.000
Material	PLASTIC + ALUMINIUM
Color	BLACK
Switch	YES
IP Protection	IPX4
Insulation class	III
Rated voltage (V)	3,7
Warranty	2 YEARS
Width (mm)	170
Depth (mm)	170
Height (mm)	50
Net weight (Kg)	0.174





KAIZER: 10W 900 lumen rechargeable head lamp, with zoom


**DATA SHEET** 

S·T·A·K

## **DESCRIPTION**

7 Light Modes: 5 modes for white light: 100% brightness (Turbo), 40% brightness, 15% brightness, 2% brightness, Strobe; 2 modes for red light. solid red light and flashing red light. The commands can be via the comfortable rubber switch or via the hands free sensor that will allow you to turn on / off the front light. Ultra bright: Equipped with the latest generation LEDs (high power OSRAM P9 10W 6000K for 900 lumens in Turbo mode), the light illuminates up to 120 meters. It is equipped with a zoom to allow you to choose between focused (distance) or diffused light (to be used as a projector). Its weight is only 136g and the elastic band is easily adaptable: perfect for those who need comfortable lighting. Hands Free control: you can activate the hand free switch so as to turn the lamp on / off by simply passing your hand in front of the LED Convenient when using gloves or when your hands are busy. IPX4 waterproof: it is protected against splashing water. When it rains, the lamp works normally. Ideal for all outdoor activities such as running, camping, cycling, night fishing, car repairs.... It is also adjustable in order to direct the beam as you need. Steady or flashing red back light: perfect for signaling your presence. Rechargeable: Built-in 2200mAh lithium battery. It recharges via the supplied USB cable, no need to buy batteries. Autonomy over 5 hours. IPX4 waterproof: it is protected against splashing water. When it rains, the lamp works normally. Ideal for all outdoor activities such as running, camping, cycling, night fishing, car repairs.... It is also adjustable in order to direct the beam as you need. Fixed or flashing red back light: perfect for signaling your presence. Rechargeable: Built-in 2200mAh lithium battery. It recharges via the supplied USB cable, no need to buy batteries. Autonomy over 5 hours. IPX4 waterproof: it is protected against splashing water. When it rains, the lamp works normally. Ideal for all outdoor activities such as running, camping, cycling, night fishing, car repairs.... It is also adjustable in order to direct the beam as you need. Steady or flashing red back light: perfect for signaling your presence. Rechargeable: Built-in 2200mAh lithium battery. It recharges via the supplied USB cable, no need to buy batteries. Autonomy over 5 hours. perfect for signaling one's presence. Rechargeable: Built-in 2200mAh lithium battery. It recharges via the supplied USB cable, no need to buy batteries. Autonomy over 5 hours. perfect for signaling one's presence. Rechargeable: Built-in 2200mAh lithium battery. It recharges via the supplied USB cable, no need to buy batteries. Autonomy over 5 hours.

Packing type	Blister
Blister pack format	F5
Pack length (mm)	170
Pack width (mm)	335
Pack height (mm)	80
Packed product weight (kg)	11.300
Inner width (cm)	36
Inner length (cm)	34
Inner height (cm)	18
Quantity in inner	6
Gross weight inner (kg)	1.700
ITF INNER	18003910107660
Master length (cm)	68
Master width (cm)	36
Master height (cm)	56
Quantity in master	36
Master gross weight (kg)	11.300
ITF MASTER	28003910107667
How many pieces on 80x120 pallet (pz)	324
INTRASTAT Code	85131000
DEEE	0.02





**DATA SHEET** 











